ilektro Range 1650 Elite

SPECIFICATION SHEET



Version 1 04/07/25 Contents of manual may be updated without notice. For the latest version of this manual please refer to our website: www.paulagnewdesigns.com.au


PAUL AGNEW

DESIGNS


ilektro 1650 Elite Glass Fronted

APPLIANCE DIMENSIONS

Product Code:



FRAME BUILD OUT DIMENSIONS (All dimensions are in millimetres)



•


PAUL AGNEW

ilektro Range


ilektro 1650 Elite Bay

APPLIANCE DIMENSIONS

Product Code:




FRAME BUILD OUT DIMENSIONS (All dimensions are in millimetres)




ilektro 1650 Elite Left Corner Glass

APPLIANCE DIMENSIONS

Product Code:




FRAME BUILD OUT DIMENSIONS (All dimensions are in millimetres)




ilektro 1650 Landscape Right Corner Glass

APPLIANCE DIMENSIONS

Product Code:



FRAME BUILD OUT DIMENSIONS (All dimensions are in millimetres)



PLEASE NOTE: DIMENSIONS ARE FOR REFERENCE ONLY - CONSULT YOUR INSTALLER AND RETAILER FOR GUIDANCE

iléktro


ilektro 1650 Elite

Note:

Above given dimensions are for frame structure




EXPLODED VIEW



ilektro 1650 Elite

POSITIONING YOUR APPLIANCE



NOTE:

No fixtures are supplied to secure the appliance to the chosen wall. Ensure an appropriate fixing method is used depending on the construction material of the wall.

- When installing into a wall cavity space, a stud work enclosure should be built to house the appliance. Refer to frame out build sheet.
- Finish the enclosure in the chosen material ensuring cladding are pushed up to the edge frame around the glass of the unit.
- If your appliance is not level when installed the glass corner fit will be misaligned.

CAUTION

TELEVISION INSTALLATION MANDATORY REQUIREMENTS


When fitting a television above the fireplace the following installation must be adhered to.

Debry and dust will fall into the fan slots above the appliance causing damage unless protected. It is a requirement to set a shelf as shown below.


Option 1: Shelf to be made during framing

Option 2: Deflector plate as an accessories

CAUTION: Appliance warranty will be void if the shelf or deflector plate is not installed.



Option 1:



CAUTION


TELEVISION INSTALLATION MANDATORY REQUIREMENTS


730

Option 2:


Deflector plate can be secured to wooden frame through self tappers; refer to detail A.


Rear side of the deflector plates can be secured to the fire place by picking up the existing screw holes; refer to detail A.






ilektro 1650 Elite







ELI 1650 GF2R

Model	Α	В	С	D	E	F	G
ELI 1650 GF	1628mm	363mm	581mm	219mm	315mm	100mm	119mm
ELI 1650 GF3	1656mm	363mm	581mm	219mm	315mm	100mm	119mm
ELI 1650L GF2L	1642mm	363mm	581mm	219mm	315mm	100mm	119mm
ELI 1650L GF2R	1642mm	363mm	581mm	219mm	315mm	100mm	119mm

The above table contains the minimum opening A

= Width to outside of plaster flanges

B = Height to outside of plaster flanges


C = Height of fire (min)

D = Depth from front of fire body to rear of side plaster flange E

= Depth of fire (+1MM TOL)

F = Height of fire above top plaster bead

G = Min height from underside of adjustable foot to underside oflower plaster flange





Distributed By

PAUL AGNEW DESIGNS®

 $in fo@paulagnewdesigns.com \mid www.paulagnewdesigns.com$